ELSEVIER

Applied Numerical Mathematics 35 (2000) 357–358

APPLIED NUMERICAL MATHEMATICS

www.elsevier.nl/locate/apnum

Author Index—Volume 35 (2000)

(The issue number is given in front of page numbers)

Alonso-Mallo, I., Rational methods with optimal order of convergence for partial differential equations (4) 265–292

Arévalo, C., C. Führer and G. Söderlind, Regular and singular β-blocking of difference corrected multistep methods for nonstiff index-2 DAEs (4) 293–305

Beckett, G. and J.A. Mackenzie, Convergence analysis of finite difference approximations on equidistributed grids to a singularly perturbed boundary value problem (2) 87–109

Calvo, N., J. Durany and C. Vázquez, Numerical computation of ice sheet profiles with free boundary models (2) 111–128

Carpenter, M.H., see **Kennedy, C.A.** (3) 177–219

Davey, K. and M.J. Ward, A successive preconditioned conjugate gradient method for the minimization of quadratic and nonlinear functions (2) 129–156

Durany, J., see **Calvo, N.** (2) 111–128

Führer, C., see **Arévalo, C.** (4) 293–305

González, A.B., P. Martín and D.J. López, On the numerical integration of orbital problems with high order Runge–Kutta–Nyström methods (1) 1–10

Guo, D.X., A second order scheme for the Navier–Stokes equations: Application to the driven-cavity problem (4) 307–322

Huang, C., Dissipativity of one-leg methods for dynamical systems with delays (1) 11–22

Kennedy, C.A., M.H. Carpenter and R.M. Lewis, Low-storage, explicit Runge–Kutta schemes for the compressible Navier–Stokes equations (3) 177–219

Laminie, J. and S.M. Mefire, Three-dimensional computation of a magnetic field by mixed finite elements and boundary elements (3) 221–244

Lewis, R.M., see **Kennedy, C.A.** (3) 177–219

Li, J., Multiblock mixed finite element methods for singularly perturbed problems (2) 157–175

López, D.J., see **González, A.B.** (1) 1–10

Mackenzie, J.A., see **Beckett, G.** (2) 87–109

Martín, P., see **González, A.B.** (1) 1–10

Mefire, S.M., see **Laminie, J.** (3) 221–244

Miller, J.J.H., E. O'Riordan, G.I. Shishkin and S. Wang, A parameter-uniform Schwarz method for a singularly perturbed reaction–diffusion problem with an interior layer (4) 323–337

O'Riordan, E., see **Miller, J.J.H.** (4) 323–337

Paternoster, B., A phase-fitted collocation-based Runge–Kutta–Nyström method (4) 339–355

Poullet, P., Staggered incremental unknowns for solving Stokes and generalized Stokes problems (1) 23–41

Elsevier Science B.V.

Sauter, T., Computation of irregularly oscillating integrals (3) 245–264
Schmidt, A. and K.G. Siebert, A posteriori estimators for the $h-p$ version of the finite element method in 1D (1) 43–66
Shishkin, G.I., see **Miller, J.J.H.** (4) 323–337
Siebert, K.G., see **Schmidt, A.** (1) 43–66
Söderlind, G., see **Arévalo, C.** (4) 293–305
Vázquez, C., see **Calvo, N.** (2) 111–128
Wang, S., see **Miller, J.J.H.** (4) 323–337
Ward, M.J., see **Davey, K.** (2) 129–156
Zhang, J., Sparse approximate inverse and multilevel block ILU preconditioning techniques for general sparse matrices (1) 67–86